




EE Zone für durchkontaktierte Löcher  $\phi 0.6 \pm 0.05$   
compliant zone for thru hole  $\phi 0.6 \pm 0.05$





Bestückungsplan - contact layout



Lochbild für Leiterplatte  
(Bestückungsseite)

Board hole pattern  
(Component mounting side)



- 1)  $\phi 0.6 \pm 0.05$  Durchmesser des metallisierten Loches  
 $\phi 0.6 \pm 0.05$  Diameter of finished plated-through hole  
 $\phi 0.7 \pm 0.02$  Bohrungsdurchmesser des Loches  
 $\phi 0.7 \pm 0.02$  Diameter of drilled hole

Schichtaufbau im metallisierten Loch siehe Zeichnung 114406  
Metal plating of plated-through hole see drawing 114406

Fehlende Maße und Angaben nach IEC 61076-4-101  
Missing information and dimensions per IEC 61076-4-101

Information: P2 Level 1 siehe Bestückungsplan/ see contact layout Anforderungsstufe 2 / class 2		Tolerances All Dimensions in mm	Scale 2:1
All rights reserved. Only for information. To insure that this is the latest version of this drawing, please contact one of the ERNI companies before using.		Subject to modification without prior notice. Drawing will not be updated.	Designation <b>ERmet Messerleiste C</b> <b>ERmet Male Wide Type C</b>
h	10.05.2004	www.ERNI.com	<b>044147</b>
Index	Date	H:00040534.SZN	ERM C

Consider protection memos from DFN 34