



Terminals & Splices > Automotive Terminals > DEUTSCH Solid Contacts



Terminal Type: **Pin**

Mating Pin Diameter: **1.59 mm [.063 in]**

Terminal Transmits: **0 – 24 A (Low Power)**

Wire Size: **.52 – 1.31 mm²**

[All DEUTSCH Solid Contacts \(45\)](#)

Features

Product Type Features

| | |
|-------------------------|-----------------|
| Sealable | No |
| Primary Locking Feature | On the Terminal |

Contact Features

| | |
|--|-------------------|
| Contact Size | Size 16 |
| Contact Fabrication | Solid |
| Wire Contact Termination Area Plating Material | Nickel |
| Typical Current Rating | 13 A |
| Crimp Type | Indent |
| Terminal Type | Pin |
| Mating Pin Diameter | 1.59 mm [.063 in] |
| Interface Plating | Nickel (Ni) |

Termination Features

| | |
|------------------------------------|-------|
| Termination Method to Wire & Cable | Crimp |
| Product Terminates To | Wire |

Dimensions

| | |
|------------------|--|
| Wire Size | .52 – 1.31 mm ² |
| Wire Size Search | 16 AWG, 17 AWG, 18 AWG, 19 AWG, 20 AWG |



Usage Conditions

| | |
|-----------------------------|---|
| Insulation Option | Uninsulated |
| Operating Temperature (Max) | 80 °C, 85 °C, 90 °C, 100 °C, 105 °C, 110 °C, 120 °C, 125 °C[176 °F][185 °F][194 °F][212 °F][221 °F][230 °F][248 °F][257 °F] |
| Operating Temperature Range | -55 – 125 °C[-67 – 257 °F] |

Operation/Application

| | |
|------------------------------------|--------|
| Compatible With Wire Base Material | Copper |
|------------------------------------|--------|

Packaging Features

| | |
|--------------------|------|
| Packaging Quantity | 2500 |
| Packaging Method | Box |

Other

| | |
|----------------------------|----------------------|
| Customer Preferred Contact | Yes |
| Terminal Transmits | 0 – 24 A (Low Power) |

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant with Exemptions |
| EU ELV Directive 2000/53/EC | Compliant with Exemptions |
| China RoHS 2 Directive MIIT Order No 32, 2016 | Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JAN 2023 (233) Candidate List Declared Against: JAN 2023 (233) SVHC > Threshold: Pb (1.2% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location. |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not reviewed for solder process capability |

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products

will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-H3930-CH8172
DEUTSCH HD30 Housings



TE Part # CAT-J41-DDRC
DEUTSCH DT Receptacle Connectors




TE Part # CAT-D799-CH8172
DEUTSCH DRC Housings



TE Part # CAT-H3910-CH8172
DEUTSCH HD10 Housings



TE Part # CAT-H396-CH8172
DEUTSCH HDP20 Housings



TE Part # CAT-D781-CH8172
DEUTSCH DRB Housings



TE Part # 2286003-3
2POS. DT. REC HSG. ASSY. SEALED



TE Part # JS-16-00
JIFFY SPLICE, Size 16



TE Part # CAT-D48-ST273
DEUTSCH Solid Contacts



TE Part # HDP24-24-21PE-L015
REC, 21P, BLK, E, THD, 12/16, P



TE Part # HDP24-24-19PE-L015
REC, 19P, BLK, E, THD, 12/16, P



TE Part # HDP-400
POWER CRIMPER



TE Part # HDP24-24-14PE-L017
REC, 14P, BLK, E, RNG, 4/12/16, P



TE Part # HDP24-24-14PN-L017
REC, 14P, BLK, N, RNG, 4/12/16, P



TE Part # HDP24-24-18PN-L015
REC, 18P, BLK, N, THD, 8/12/16, P



TE Part # HDP24-24-18PN-L017
REC, 18P, BLK, N, RNG, 8/12/16, P



TE Part # HDP26-24-14PN-L015
PLG, 14P, BLK, N, THD, 4/12/16, P



TE Part # CAT-D487-CH8172
DEUTSCH DT Series Housings & Connectors




TE Part # CAT-ST858-CH8172
DEUTSCH Strike Housings




TE Part # CAT-J67-DSCC16
DEUTSCH Size 16 Crimp Contacts

Also in the Series | DEUTSCH Common Contact



Automotive Terminals(90)



Insertion & Extraction Tools(8)

Customers Also Bought



TE Part #DT04-4P
DEUTSCH DT Receptacle Connectors



TE Part #W12P
Wedgelocks: DEUTSCH DT



TE Part #0460-204-12141
DEUTSCH Solid Contacts



TE Part #DT06-2S
PLG, 2P, GRY, N

Documents

Product Drawings

PIN, SOLID, SIZE 16, 16-20AWG, NI

English

CAD Files

3D PDF

3D

Customer View Model

[ENG_CVM_CVM_0460-202-16141_K.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0460-202-16141_K.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_0460-202-16141_K.3d_stp.zip](#)



English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Datasheets & Catalog Pages

CONNECTOR SELECTOR

English

Product Specifications

Engineering Report

English