


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire.
 Property of © FCI ELECTRONICS. Copyright © FCI ELECTRONICS INC.




All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
 Property of © FCI ELECTRONICS. Copyright © FCI ELECTRONICS INC.


PRODUCT NO.
SEE TABLE




COVER
 MATERIAL: 30% GLASS-FILLED POLYESTER,
 FLAME RETARTANT PER UL 94 V-0,
 COLOR: BLUE




CONTACTS
 MATERIAL: PHOSPHORUS BRONZE,
 FULL HARD. SEE TABLE AND
 NOTES FOR PLATING.




CONTACT SUB-ASS'Y
 HOUSING
 MATERIAL: GLASS-FILLED POLYESTER,
 FLAME RETARTANT PER UL 94 V-0,
 COLOR: BLUE



SECTION X-X



P.C.B. HOLE PATTERN
 CONNECTOR SIDE OF P.C. BOARD SHOWN (NOTE 3)
 SCALE 4/1



mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.XX ±.01		projection	title	
M	V11057	JM	6/11/91		.XXX ±.005			QUICKIE P.C.B. CONNECTOR	
N	V82154	CGC	12/15/98	angles	.XXXX ±.0020		INCH/MM	16,20,24,40,60,& 64	
P	N05-0329	DT	12/09/05		0° ±2°			product family	
R	N07-0199	WG	08/27/07	dr	J.MUSTARD	6/11/91	← INCH/MM	size dwg no	
				enr	M.SMYK	6/11/91		A 65494	
				chr	W.FUNK	6/11/91	scale	sheet	
				appd	M.SMYK	6/11/91	2.5:1	1 of 2	
sheet index	revision sheet	R	R					cage code	
		1	2					26	

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation écrite du propriétaire.
 Propriete de © FCI ELECTRONICS. Droits de reproduction FCI ELECTRONICS INC.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
 Property of © FCI ELECTRONICS Copyright FCI ELECTRONICS INC.



PRODUCT NO.	NO. OF POS.	DIM "A"	DIM "B"	DIM "C" REF	SEE NOTE
65494-009/009LF					1
-010/010LF	20	. 950/24. 13	1. 200/30. 48	. 100/2. 54	2
-011/011LF				. 156/3. 96	1
-012/012LF					2
-013/013LF					1
-014/014LF	40	1. 950/49. 53	2. 200/55. 88	. 100/2. 54	2
-015/015LF				. 156/3. 96	1
-016/016LF					2
-017/017LF					1
-018/018LF	16	. 750/19. 05	1. 000/2. 54	. 100/2. 54	2
-019/019LF				. 156/3. 96	1
-020/020LF					2
-021/021LF					1
-022/022LF	60	2. 950/74. 93	3. 200/81. 28	. 100/2. 54	2
-023/023LF				. 156/3. 96	1
-024/024LF					2
-025/025LF					1
-026/026LF	64	3. 150/80. 01	3. 400/86. 36	. 100/2. 54	2
-027/027LF				. 156/3. 96	1
-028/028LF					2
-029/029LF					1
-030/030LF	24	1. 150/29. 21	1. 400/35. 56	. 100/2. 54	2
-031/031LF				. 156/3. 96	1
-032/032LF					2
-033/033LF					1
-034/034LF	44	2. 150/54. 61	2. 400/60. 96	. 100/2. 54	2
-035/035LF				. 156/3. 96	1
65494-036/036LF					2

NOTES:

- 50u"/1. 27uM MIN. Ni UNDERPLATE OVER ENTIRE TERMINAL AND Au FLASH ON SOLDER TAIL ONLY.
- THE P/N WITH "LF" SUFFIX IS LEAD FREE PART NUMBER;
- 65494-***: 150u"/3. 81uM MIN. TIN/LEAD 93/7 OVER ENTIRE TERMINAL.
 65494-***LF 150u"/3. 81uM MIN. MATTE TIN OVER ENTIRE TERMINAL.
- SEE TA 246 FOR MORE INFORMATION.
- THE PACKAGING FOR THE LEAD FREE P/N MEETS GS-14-920 SPECIFICATION;
- FOR LEAD FREE P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008;
- FOR LEAD FREE P/N, THE HOUSING WILL WITHSTAND EXPOSURE TO 260 DEGREE C FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

mat'l. code				tolerances unless otherwise specified		CUSTOMER COPY		FCI www.fciconnect.com	
ltr	ecn no	dr	date	linear	.XXX ±.005/.00±.13	projection	title		
R					.XXXX ±.0020/.000±.051		QUICKIE P.C.B CONNECTOR		
				angles	0° ±2°		16,20,24,40,60,& 64		
		dr	J.MUSTARD	6/11/91		INCH/MM	product family	code	
		enr	M.SMYK	6/11/91			size	NAN	
		chr	W.FUNK	6/11/91		scale	dwg no	sheet	
		appd	M.SMYK	6/11/91		1:1	A	65494	2 of
sheet index	revision sheet								

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

[FCI / Amphenol:](#)

[65494-009LF](#) [65494-010LF](#) [65494-011LF](#) [65494-013LF](#) [65494-014LF](#) [65494-017LF](#) [65494-022LF](#) [65494-030LF](#)
[65495-017LF](#) [65495-019LF](#) [65495-020LF](#) [65495-028LF](#) [65495-029LF](#) [65495-030LF](#) [65495-031LF](#) [65495-033LF](#)
[65495-034LF](#) [65494-010](#) [65494-012](#) [65494-014](#) [65494-016](#) [65494-018](#) [65494-029](#) [65494-030](#) [65495-038](#)